


By order of the Directors of Lex Machinery Ltd Due to Closure of the Business

PHARMACEUTICAL PACKAGING **EQUIPMENT, MACHINE TOOLS,** AND CLARK 5-TON FORKLIFT TRUCK FROM A REPUTABLE USED **MACHINERY DEALER**

SUBJECT TO AVAILABILITY



Range of Machine Tools, Packaging Equipment and Forklifts to include:

- Clark CMP50SL 5-ton LPG powered forklift (2008)
- Semco LC-20VS universal milling machine
- · Colchester Student 1800 gap bed lathe
- Atlas Copco GA15 air compressor (2004)
- IMA A94 horizontal cartoner (2002)
- IWK ATFS10 tube filling machine
- Trepak Fillpak 4-head bottle filler (2001)
- Alpikone AK-M capping machine
- 2 x Helios Oktomat Eco SOS bag lifters
- · Ronchi bottle sorting machine
- Posimat's Posilite-Pucks-5 plastic bottle unscrambling machine
- · Bosch VSZ 650 GU vibratory cap sorting machine
- · Plus additional machines spares, office furniture, etc.

Please go to www.lsh.co.uk/assetadvisory or BidSpotter

AT: Lex Machinery Ltd, Unit 5 Ashmount Industrial

Centre, Castle Park Industrial Estate, Flint CH6 5XA

Tuesday 19 April 2022 -10am to 4pm ON VIEW:

Strictly by appointment only

Wednesday 20 April 2022 at 12pm CLOSES:

COLLECTION: Friday 22 April to Tuesday 26 April - 9am to 4.30pm

NO COLLECTIONS ON THE WEEKEND Strictly by appointment only

This is a full PPE site, visitors must wear adequate PPE at all times For further details please contact: Patrick Ditcham pditcham@lsh.co.uk 07732 601413

Lambert Smith Hampton

BIDDING

NOTICE TO PURCHASERS

VIEWING:

- The lots may be viewed as follows: <u>STRICTLY BY APPOINTMENT ONLY</u> Tuesday 19th April 2022, 9am 4.30pm Please e-mail your viewing appointment request to pditcham@lsh.co.uk
 - Location: Lex Machinery Ltd, Unit 5 Ashmount Industrial Centre, Castle Park Industrial Estate, Flint CH6 5XA

BIDDING ENDS:

Bidding will end at: 12.00pm on Wednesday 20th April 2022 [subject to the normal 10 min extension]
 AT WHICH TIME ALL HIGHEST BIDS WILL BE CONSIDERED.

ACCEPTANCE OF FINAL HIGHEST BIDS - IMPORTANT NOTE:

- Acceptance of all final highest bids is subject to approval by our client.
- Lambert Smith Hampton reserves the right to reject any bids which they feel does not reflect reasonable value
- Successful bidders will be notified by email by 4.30pm Wednesday 20th April 2022

INSTRUCTIONS FOR BIDDING:

- Access for bidding can be obtained through our website www.lsh.co.uk/assetadvisory
- Full details including valid email address must be provided in order to receive approval for bidding
- In the event of a bid being received within 10 minutes of the scheduled closing time, the bidding period on that lot will automatically extend by a further 10 minutes and for a further 10mins for any bid received thereafter.
- MAXIMUM BIDS: If more than one maximum bid is placed of the same amount, the maximum bid placed first will be considered the
 highest bid and a further bid will need to be to be placed to take the lead. Bidders are notified by an automated message which
 appears on their screen
- IMPORTANT: When bidding, do not forget to 'REFRESH' your screen to ensure you are aware of current bids.
- MAILING: All approved bidders will automatically have their details placed on our database for notification of futures sales
 undertaken by Lambert Smith Hampton only. In the event that you wish to have your details excluded from our database, please
 use the 'unsubscribed' feature within our website (as above) alternatively please notify our Sales Administration Team
 aaaccounts@lsh.co.uk

BUYERS PREMIUM:

- The purchaser will pay a buyers premium of 16% plus VAT, which will be charged on all lots.
- The premium is not negotiable and will be paid by all buyers

PAYMENT TERMS:

- All purchases are to be paid in full, no later than 4pm on Monday 25th April 2022
- All queries regarding payment should be directed to our Sales Accounts team, aaaccounts@lsh.co.uk
- Please note that we do not have the facility to accept debit or credit card payments (the details required when signing up are for name and address validation purposes only).

Please refer to the page headed "PAYMENT DETAILS" for acceptable methods of payment

PURCHASERS WHO MAKE OVER THE COUNTER PAYMENTS AT THE BANK <u>WILL</u> HAVE THEIR COLLECTION STALLED UNTIL THE BANK HAVE CONFIRMED IT IS A LEGITIMATE <u>CASH</u> PAYMENT.

VALUE ADDED TAX:

Purchasers will be charged Value Added Tax on all lots, where applicable, at the current rates

DEPOSITS:

Purchasers are required to pay a deposit on lots which will cause damage or leave a hole in the fabric of the building after removal.
 These lots will be specified in the sale catalogue. The deposit will be returned once the purchaser has made good in a satisfactory manner.

RISK:

• The bidder / buyer is at risk once the buyer is notified of his successful purchases and is strongly advised to effect insurance at once, irrespective of whether title has passed. Title does not pass to the purchaser until payment has been received in full.

RECORDED "USEAGE" READINGS: The hour and odometer readings on machinery and vehicles in this sale cannot be warranted and should not be relied upon.

COMPUTER SOFTWARE: Due to the Data Protection Act, all software and data will be removed from computers prior to selling.

CLEARANCE TERMS AND ARRANGEMENTS

 All lots must be removed between Friday 22nd - Tuesday 26th April 2022 between 9.00am-4.30pm -(EXCLUDES THE WEEKEND)

No further access will be available after this time.

- <u>Lambert Smith Hampton does not undertake packaging, postage, delivery or shipment of goods and the bidder must make his own</u>
 <u>arrangements to comply with the clearance terms</u>
- Clearance of all lots must be undertaken in accordance with Health & Safety at Work Regulations and, where necessary, Construction Design and Management Regulations 1994.
- Risk Assessments and Method Statements (RAMS): If you purchase a lot that requires RAMS to be completed please be aware
 that you will not be permitted access to site to commence collection of ANY of your lots until the required RAMS has been

completed and reviewed by an LSH representative. If you need access to site during the collection period to review equipment for RAMS purposes, or have any further questions please contact Patrick Ditcham pdf pditcham@lsh.co.uk

- Lambert Smith Hampton reserve the right to stop clearance if in their opinion, they believe it is being carried out in an unsafe manner or without the Method Statement and Risk Assessment.
- The purchaser should ensure that their contractors hold sufficient public liability insurance, copies of which should be made available to Lambert Smith Hampton if demanded.
- Any fluids remaining in any lots purchased MUST be removed from site in conformity with the Control of Substances Hazardous to Health (COSHH) Regulations.

CONDITIONS OF SALE

All lots will be sold subject to the Conditions of Sale as printed on the catalogue cover. Bidders are strongly advised to read them carefully.

TRANSFER OF LOTS:

Lambert Smith Hampton will only accept payment from and permit removal of lots purchased by the successful purchaser or their duly appointed agent.

OVERSEAS PURCHASERS:

Overseas purchasers must, on acceptance of offers, advise of their intentions to export their good immediately and notify our Sales Coordinator, Emma Gaines [egaines@lsh.co.uk]

Overseas purchasers will be required to provide details of :

- (a) Their passport(s)
- (b) One other method confirming their identity, ie drivers licence, name,
- address, UK agent (if any), telephone and fax numbers.
- (c) Full details of their national bank and their UK corresponding bank.
- (d) Details from their bank confirming method of payment, etc.

Please also ensure that:

- (e) Your country, or the country to which the items are destined, holds no import restrictions on the goods that you wish to purchase.
- (f) The country has no import licence restrictions or a restriction on currency allocation.
- (g) The country has no prolonged inspection procedure, which might cause excessive delay in allowing your goods to be imported.
- (h) You receive a fully descriptive invoice in order that you may arrange payment as soon as possible with our bank.
- (i) You employ a reputable freight-forwarding organisation. Please note that many of the machinery removal companies in this country are not necessarily freight forwarders. We will be pleased to advise accordingly.
- (j) You have read the Conditions of Sale.

Please Note:

- (a) We will not allow removal of any Lot from the Sale site until our Accounts Department has received notification from our bankers that your payment has been properly cleared in full. Monies must be transferred to ourselves within the time stated in the "Notice to Purchasers"
- (b) If there are any special arrangements that you wish to make with us, you must contact us at least three days before the Sale
- (c) Our terms regarding payment of VAT and subsequent refunds.

VAT on Goods Destined for Export:

All purchasers intending to export their purchases will be charged a deposit equal to that of the VAT due on each lot purchased and the Buyer's Premium.

In order to qualify for a refund, the goods must be exported in accordance with regulations under "Indirect Export" and valid evidence of export received by Lambert Smith Hampton within one month of the date of export. Where satisfactory evidence is not provided, goods and services will be subject to UK VAT at the standard rate and the deposit will not be refunded.

Please ensure that the cashier has been notified of your intentions to export prior to removal of goods.

The above information must be supplied in writing to our Sales Co-ordinator, Mrs Emma Gaines, Lambert Smith Hampton, First Floor, 2 Manor Court, Barnes Wallis Road, Fareham, PO15 5TH, on your official company notepaper and signed by the contact name quoted.

If you intend to export your purchases using your own transport (either by sea, rail or air), then VAT will be levied and refunded upon receipt of satisfactory documentation, supporting removal of the goods purchased.

Lambert Smith Hampton reserve the right to refuse to accept the bid of any bidder should they be unable to satisfy Lambert Smith Hampton on any of the above.

PAYMENT DETAILS

- ◆ Purchasers should note that GOODS MAY ONLY BE REMOVED FROM SITE UPON RECEIPT OF PAYMENT IN FULL IN <u>CLEARED FUNDS</u>
- ◆ For the avoidance of doubt, <u>CLEARED FUNDS</u> is:

Telegraphic Transfer / BACS [see note 2]

Credit / Debit cards / Cheques, Cash, Bankers Drafts CANNOT be accepted

PURCHASERS WHO MAKE OVER THE COUNTER PAYMENTS AT THE BANK <u>WILL</u> HAVE THEIR COLLECTION STALLED UNTIL THE BANK HAVE CONFIRMED IT IS A LEGITIMATE <u>CASH</u> PAYMENT.

(2) Telegraphic Transfers / BACS payments		lirect payments into our bank account the office following notification of escales for payment, as follows : up to 24hrs : 3 day
	other method. For the avoidance not an acceptable method of p	account will not be accepted by any of doubt over the counter credits are ayment and is in breach of Lambert particularly those that relate to the

MONEY LAUNDERING REGULATIONS


Services provided by Lambert Smith Hampton in relation to the sale of assets fall under the Proceeds of Crime Act 2002. Accordingly we have put in place policies and procedures which are designed to prevent, forestall and identify acts of money laundering.


Lambert Smith Hampton will not accept transactions in cash which exceed £7,000 under any circumstances and Lambert Smith Hampton will take any action necessary to ensure that it does not contravene its obligations under the Money Laundering Regulations 2017. In the event that a purchaser entering into a business relationship with Lambert Smith Hampton, knowingly or unwittingly fails to comply with our policy Lambert Smith Hampton will have no choice than to treat this as a breach of the regulations. Where necessary ID will be sought by the company and consider a report to NCIS (National Criminal Intelligence Service)

Should you have any queries on the above, please contact our AA Accounts Team on +44(0)2380 461643

Site Address for viewing

Lex Machinery Ltd, Unit 5 Ashmount Industrial Centre, Castle Park Industrial Estate, Flint CH6 5XA






NOTICE

ALL LOTS IN THIS SALE ARE SUBJECT TO A BUYERS PREMIUM OF RATE of

16%

PLUS V.A.T AT THE PREVAILING RATE



1	IMA A94 horizontal cartoner Serial No A94077(2002) Fully automatic continuous motion horizontal cartoner for blisters with balcony structure. Centrally adjustable product chain. Suitable for box sizes: length 55mm to 210mm, width 25mm to 110mm, height 12mm to 85mm. Maximum speed output of 320 cartons per minute (last run at 280 cartons per minute). Equipped with Siemens PLC; Argus Laetus coder; GUK FA 21/4 leaflet folder and inserter; automatic blister infeed system. All Stainless Steel construction. Full interlocked guarding. Manuals, technical documentation and drawings in English and Polish. Machine size: 5100mm x 1650mm x 2100mm high, approx. weight 3500kg. Advised by company that this machine is CHECKED/TESTED/RUNNING.
2	IWKA TFS10 plastic tube filler Serial No. 85 (1993) Tube filling and sealing machine for plastic and laminate tubes with hot air sealing. Output 25-50 tubes per minute depending on tube size and filling product. Supplied with 50mm diameter cup holders; 34mm diameter nozzle; 70mm diameter x 60mm long piston with a fill volume of 200ml. Minimum and maximum tube diameter 11mm-50mm. Minimum and maximum tube length 50mm-250mm. Minimum and maximum dosing 20ml-400ml depending on dosing piston. Tube infeed chute. Print registration mark. Immersed filling. Emboss coder (no coding digits supplied). Stainless steel hopper. Electrical drawing available. The machine has recently been overhauled. Advised by the company that this machine is CHECKED/TESTED/RUNNING.
3	Tolke vibratory hopper Serial no. 57055 (1987) Machine size 1000mm x 1000mm x 1150mm high, weight 400kg
4	Helios Oktomat Eco SOS bag emptying station Single station discharging system for industrial bulk bags. All Stainless Steel construction with a solid base. Machine size: 1400mm x 520mm x 2600mm high, approx. weight 300kg. Advised machine is INCOMPLETE no control nor suction head and respective fittings
5	Helios Oktomat Eco SOS bag emptying station Single station discharging system for industrial bulk bags. All Stainless Steel construction with a solid base. Machine size: 1400mm x 520mm x 2600mm high, approx. weight 300kg. Advised machine is INCOMPLETE no control nor suction head and respective fittings
6	CAM packaging systems HF77.7 horizontal cartoning machine, serial no. C11712.HF77.7 with bottle auto infeed unit. Requires new PLC - no manuals
7	Transitube Techni Lab T23 hopper feed, serial no. 913226 (1991) with 2 plastic auger feed conveyors

Ronchi Rotomatic bottle unscrambler Serial No. 1290 Stainless Steel high speed single bowl bottle unscrambler. Protective plexiglass casing. Rotary disc style sorter. Symmetrical or asymmetrical shapes. Full safety enclosure. Positive and stable control of the bottles that are exiting from the unscrambler onto the bottle discharge conveyor by means of a pitch-to-pitch exit star-wheel. All motors have variable speed controlled by Variable Frequency Drives. When entering the unit bottles are unscrambled and then oriented by a rotary carousel and selectors for the proper positioning of the bottles. Advised by the company that this machine is CHECKED/TESTED/RUNNING but no through conveyor or bottle elevator. Posimat Posipuck 5 bottle unscrambler Serial No. OC-11372.3.01 (2008) Designed to unscramble glass or plastic bottles and place into pucks. Machine currently set up for three bottle sizes 75ml/150ml/250ml, at speeds up to 4,500 bottles per hour. Ideally suited for unstable bottles. Machine size: 3000mm x 2000mm x 2500mm high, approx. weight 2000kg. Advised by company that this machine is CHECKED/TESTED/RUNNING Marchesini Group ML642 type Riemp + Tapp bottle filling and capping machine, Serial no. 6976000033 (1997) - (incomplete and no manuals) (motors no bowl feeds etc) Quantity of assorted belt conveyor spares 13 Stainless steel 90 degree powered belt conveyor, 195mm width Trekpak Fillipak liquid filler (2001) 5 head linear liquid filler equipped with 5 x Danfoss Flow Meter units – model MASSFLO 3000, code 083H0061. Currently set up as a 4 head in-line filler with 1 filling station/pump blinded off. Comes with CIP system and 4 non-diving top fill nozzles. Previously used for 250ml, 500ml, 1000ml and 2000ml bottles with output at approximately 30 to 50 bottles per minute (depending on bottle size and product viscosity). Separate control panel. All Stainless Steel construction. Machine is equipped with gating system and includes 1.8 metre through conveyor with variable speed and 85mm wide plastic slats. Man		
Serial No. OC-11372.3.01 (2008) Designed to unscramble glass or plastic bottles and place into pucks. Machine currently set up for three bottle sizes 75ml/150ml/250ml, at speeds up to 4,500 bottles per hour. Ideally suited for unstable bottles. Machine size: 3000mm x 2000mm x 2500mm high, approx. weight 2000kg. Advised by company that this machine is CHECKED/TESTED/RUNNING Marchesini Group ML642 type Riemp + Tapp bottle filling and capping machine, Serial no. 6976000033 (1997) - (incomplete and no manuals) (motors no bowl feeds etc) 11	8	Serial No. 1290 Stainless Steel high speed single bowl bottle unscrambler. Protective plexiglass casing. Rotary disc style sorter. Symmetrical or asymmetrical shapes. Full safety enclosure. Positive and stable control of the bottles that are exiting from the unscrambler onto the bottle discharge conveyor by means of a pitch-to-pitch exit star-wheel. All motors have variable speed controlled by Variable Frequency Drives. When entering the unit bottles are unscrambled and then oriented by a rotary carousel and selectors for the proper positioning of the bottles. Advised by the company that this machine is CHECKED/TESTED/RUNNING but no through conveyor
Serial no. 6976000033 (1997) - (incomplete and no manuals) (motors no bowl feeds etc) 11 Quantity of assorted belt conveyor spares 13 Stainless steel 90 degree powered belt conveyor, 195mm width Trekpak Fillpak liquid filler (2001) 5 head linear liquid filler equipped with 5 x Danfoss Flow Meter units — model MASSFLO 3000, code 083H0061. Currently set up as a 4 head in-line filler with 1 filling station/pump blinded off. Comes with CIP system and 4 non-diving top fill nozzles. Previously used for 250ml, 500ml, 1000ml and 2000ml bottles with output at approximately 30 to 50 bottles per minute (depending on bottle size and product viscosity). Separate control panel. All Stainless Steel construction. Machine is equipped with gating system and includes 1.8 metre through conveyor with variable speed and 85mm wide plastic slats. Manuals in Norwegian. Machine size when set up: 3000mm x 2000mm x 2200mm high, approx. weight 600kg. Machine sizes dismantled for transport: filling machine 1620mm x 1300mm x 2000mm high, approx weight 250kg; control panel 900mm x 900mm x 2000mm high, weight 182kg; flow meter units on a pallet 1200mm x 1000mm x 1000mm high, weight 155kg. Advised by the company that this machine is CHECKED/TESTED/RUNNING but needs a product pump Alpikone AK-M ROPP capper All Stainless Steel semi-automatic ROPP capper. Last used on cap sizes 45mm, 58mm and 76mm. Machine size: 1000mm x 1000mm x 1600mm high, approx. weight 250kg. Alpikone AK-M ROPP capper All Stainless Steel semi-automatic ROPP capper. Last used on cap sizes 45mm, 58mm and 76mm. Machine size: 1000mm x 1000mm x 1600mm high, approx. weight 250kg.	9	Serial No. OC-11372.3.01 (2008) Designed to unscramble glass or plastic bottles and place into pucks. Machine currently set up for three bottle sizes 75ml/150ml/250ml, at speeds up to 4,500 bottles per hour. Ideally suited for unstable bottles. Machine size: 3000mm x 2000mm x 2500mm high, approx. weight 2000kg. Advised by company that this
13 Stainless steel 90 degree powered belt conveyor, 195mm width Trekpak Fillpak liquid filler (2001) 5 head linear liquid filler equipped with 5 x Danfoss Flow Meter units – model MASSFLO 3000, code 083H0061. Currently set up as a 4 head in-line filler with 1 filling station/pump blinded off. Comes with CIP system and 4 non-diving top fill nozzles. Previously used for 250ml, 500ml, 1000ml and 2000ml bottles with output at approximately 30 to 50 bottles per minute (depending on bottle size and product viscosity). Separate control panel. All Stainless Steel construction. Machine is equipped with gating system and includes 1.8 metre through conveyor with variable speed and 85mm wide plastic slats. Manuals in Norwegian. Machine size when set up: 3000mm x 2000mm x 2200mm high, approx. weight 600kg. Machine sizes dismantled for transport: filling machine 1620mm x 1300mm x 2000mm high, approx weight 250kg; control panel 900mm x 900mm x 2000mm high, weight 182kg; flow meter units on a pallet 1200mm x 1000mm x 1000mm high, weight 155kg. Advised by the company that this machine is CHECKED/TESTED/RUNNING but needs a product pump Alpikone AK-M ROPP capper All Stainless Steel semi-automatic ROPP capper. Last used on cap sizes 45mm, 58mm and 76mm. Machine size: 1000mm x 1000mm x 1600mm high, approx. weight 250kg. 16 Unbranded monobloc filling machine (spares only) 17 Manesty Sentinel Diamond control unit, serial no. CFMD101 (2006)	10	Serial no. 6976000033 (1997) - (incomplete and no manuals) (motors no bowl feeds
Trekpak Fillpak liquid filler (2001) 5 head linear liquid filler equipped with 5 x Danfoss Flow Meter units – model MASSFLO 3000, code 083H0061. Currently set up as a 4 head in-line filler with 1 filling station/pump blinded off. Comes with CIP system and 4 non-diving top fill nozzles. Previously used for 250ml, 500ml, 1000ml and 2000ml bottles with output at approximately 30 to 50 bottles per minute (depending on bottle size and product viscosity). Separate control panel. All Stainless Steel construction. Machine is equipped with gating system and includes 1.8 metre through conveyor with variable speed and 85mm wide plastic slats. Manuals in Norwegian. Machine size when set up: 3000mm x 2000mm x 2200mm high, approx. weight 600kg. Machine sizes dismantled for transport: filling machine 1620mm x 1300mm x 2000mm high, approx weight 250kg; control panel 900mm x 900mm x 2000mm high, weight 182kg; flow meter units on a pallet 1200mm x 1000mm x 1000mm high, weight 155kg. Advised by the company that this machine is CHECKED/TESTED/RUNNING but needs a product pump Alpikone AK-M ROPP capper All Stainless Steel semi-automatic ROPP capper. Last used on cap sizes 45mm, 58mm and 76mm. Machine size: 1000mm x 1000mm x 1600mm high, approx. weight 250kg. 16 Unbranded monobloc filling machine (spares only) Manesty Sentinel Diamond control unit, serial no. CFMD101 (2006)	11	Quantity of assorted belt conveyor spares
5 head linear liquid filler equipped with 5 x Danfoss Flow Meter units – model MASSFLO 3000, code 083H0061. Currently set up as a 4 head in-line filler with 1 filling station/pump blinded off. Comes with CIP system and 4 non-diving top fill nozzles. Previously used for 250ml, 500ml, 1000ml and 2000ml bottles with output at approximately 30 to 50 bottles per minute (depending on bottle size and product viscosity). Separate control panel. All Stainless Steel construction. Machine is equipped with gating system and includes 1.8 metre through conveyor with variable speed and 85mm wide plastic slats. Manuals in Norwegian. Machine size when set up: 3000mm x 2000mm x 2200mm high, approx. weight 600kg. Machine sizes dismantled for transport: filling machine 1620mm x 1300mm x 2000mm high, approx weight 250kg; control panel 900mm x 900mm x 2000mm high, weight 182kg; flow meter units on a pallet 1200mm x 1000mm x 1000mm high, weight 155kg. Advised by the company that this machine is CHECKED/TESTED/RUNNING but needs a product pump Alpikone AK-M ROPP capper All Stainless Steel semi-automatic ROPP capper. Last used on cap sizes 45mm, 58mm and 76mm. Machine size: 1000mm x 1000mm x 1600mm high, approx. weight 250kg. Unbranded monobloc filling machine (spares only) Manesty Sentinel Diamond control unit, serial no. CFMD101 (2006)	13	Stainless steel 90 degree powered belt conveyor, 195mm width
All Stainless Steel semi-automatic ROPP capper. Last used on cap sizes 45mm, 58mm and 76mm. Machine size: 1000mm x 1000mm x 1600mm high, approx. weight 250kg. 16 Unbranded monobloc filling machine (spares only) 17 Manesty Sentinel Diamond control unit, serial no. CFMD101 (2006)	14	5 head linear liquid filler equipped with 5 x Danfoss Flow Meter units – model MASSFLO 3000, code 083H0061. Currently set up as a 4 head in-line filler with 1 filling station/pump blinded off. Comes with CIP system and 4 non-diving top fill nozzles. Previously used for 250ml, 500ml, 1000ml and 2000ml bottles with output at approximately 30 to 50 bottles per minute (depending on bottle size and product viscosity). Separate control panel. All Stainless Steel construction. Machine is equipped with gating system and includes 1.8 metre through conveyor with variable speed and 85mm wide plastic slats. Manuals in Norwegian. Machine size when set up: 3000mm x 2000mm x 2200mm high, approx. weight 600kg. Machine sizes dismantled for transport: filling machine 1620mm x 1300mm x 2000mm high, approx weight 250kg; control panel 900mm x 900mm x 2000mm high, weight 182kg; flow meter units on a pallet 1200mm x 1000mm x 1000mm high, weight 155kg. Advised by the company that this machine is CHECKED/TESTED/RUNNING but needs a
17 Manesty Sentinel Diamond control unit, serial no. CFMD101 (2006)	15	All Stainless Steel semi-automatic ROPP capper. Last used on cap sizes 45mm, 58mm and 76mm. Machine size: 1000mm x 1000mm x 1600mm high, approx. weight
	16	Unbranded monobloc filling machine (spares only)
18 Oystar Manesty CFM Diamond control unit, serial no. CFMD102 (2006)	17	Manesty Sentinel Diamond control unit, serial no. CFMD101 (2006)
	18	Oystar Manesty CFM Diamond control unit, serial no. CFMD102 (2006)

Lex Machinery Ltd - Range of Machine Tools, Packaging Equipment and Forklifts Bidding Ends: Wednesday 20th April 2022 at 12.00noon

19	Kocher-Plastik 40 litre stainless steel pressure feed vessel (1981)
20	Pair of Jay Electronique light guards (controller required)
21	Vector Precision pressurised pump Designed to even out pressure pulses of viscous material to filling. PTFE Pneumatic floating piston, 5 ltr capacity. All stainless steel construction casing. Dairy standard quick release clamps. Pressure gauge for up to 8 bar operation. Easily movable on sturdy base 700mm x 810mm on castors. Machine size: 640mm x 540mm x 2000mm high (including pipes), approx. weight 40kg. Advised by the company that this machine is CHECKED/TESTED/RUNNING but needs new seals
22	Nordson Series 3100V hot melt applicator Serial No. 230880A SA01E 01203 Electric operation 3100V/200-240 AC, designed for high-line speeds. System heat rate is 3.6kg/hour. Operating temperature range from 70 deg C to 230 deg C (max) with tank capacity of 3714ml/3.6kg. Featuring cast-in heaters and integral melting fins, the 3714ml tank provides efficient heat transfer and is PTFE coated. Machine size: 500mm x 340mm x 1100mm high. Machine weight 45kg when empty. Advised by the comoany that this machine is CHECKED/TESTED/RUNNING
23	GUK FA21/4-SP leaflet folding machine, serial no. 43575 (2001)
24	Set of check weights in case, serial no. W1554, 4 x 20kg, 1 x 10kg, 1 x 5kg and 1 x 1kg
25	Bosch VSZ 650GU bowl feeder 600mm diameter (bowl only) mild steel vibratory cap bowl feeder. Mounted on a robust Stainless Steel frame and table with height adjustable legs. Variable speed control. Machine size: 900mm diameter x 1500mm high, approx. weight 150kg. Advised by the company thaat this machine is CHECKED/TESTED/RUNNING
26	ASAP flatbed motorised conveyor, serial no. ASAP5003 (2005), speed 4/20 mpm, 810mm length x 380mm width
27	Quantity of assorted conveyor spares
28	Colchester Student 1800 gap bed lathe, serial no. 4/0002/00080, 14 inch swing x 23 inch BC
29	Sealey PDM260F 12 speed 20mm 4MT pillar drill, serial no. 2006011 (2006) (240 v)
30	Semco First Long Chang Machinery C-20VS Universal milling machine, serial no. 0201145, fitted with 3 axis DRO and T-slotted table
31	Startrite 20v vertical metal bandsaw, serial no. 200263 (3 phase)
32	Sealey BG200XL/98 8" double ended bench grinder (240 v)
33	Atlas Copco GA15 packaged air compressor, serial no. All279845 (2004) 7.5 bar capacity with Vessel Technology Ltd BS EN 286-1 mild steel vertical receiver tank
34	Sealey SM35CE 7" horizontal mobile metal bandsaw, serial no. 9082328 (1999) (240 v)
35	Steel stand fitted with The Denbigh No.3 flywheel press and manual mandril press
36	Clark CMP50SL LPG powered forklift truck, serial no. CMP 450L-0646-9585KF (2008), basic capacity 5000kg, derated capacity 4,200kg, fitted with Triplex mast and sideshift, indicated hours 01620 hrs

37	Lansing Linde electric powered forklift truck, serial no. 322E 05002715 (1994), rated capacity 1,500kg, fitted with Triplex mast, indicated hours 08984
38	Pallet truck warehouse DF25 hydraulic pallet truck, serial no. 16072934/017 (2016), rated capacity 2,500kg
39	Hydraulic pallet truck (2006), rated capacity 2,000kg
40	Set of Taurus TME7 7-step alloy safety steps
41	2 x steel framed work benches each 2100mm x 750mm and a side bench 1355 x 810mm
42	2 x bays of boltless steel shelving and contents including spare parts plus steel double door cabinet and contents
43	Clarke parts washer (small leak)
44	Stainless steel side table 1680 x 650mm
45	16 x 4-wheeled workshop bogies with stand
46	Trolley and contents including 3 x Unimotor Servo motors etc
47	Bosch KWE 200m and Garvens SL2PM check washer- both for spares only
48	PPMA1bro auto labelling machine (for spares only)
49	Linear vibrating table on stainless steel stand (requires top and control unit)
50	Pallet containing 13 x assorted electric motors
51	Pallet containing assorted pumps, motors, bag sealer
52	2 x numatic vacuum cleaners
53	Pallet containing assorted stainless steel hoppers, pipe fittings etc
54	Large quantity of assorted spares on 8 pallets including hydraulic rams, guards, tooling etc
55	Stainless steel table Fully Stainless Steel frame table. Fixed on/off ramp plus platform for conveyor. 50mm high walls to hold product. Robust construction on legs with adjustable feet. Size: 820mm x 970mm x 870mm high (including platform), approx. weight 40kg
56	Quantity of spares including labeller parts, ducting pipe, floodlights etc
57	5-tier shelf unit and contents including belt and slat conveyor spares
58	5-tier shelf unit and contents including kalix tube filler spare parts
59	5-tier shelf unit and contents including capping heads, CAM cartoner spares, vacuum nozzles etc
60	5-tier shelf unit and contents including handles and hinges, gas struts, Vee belts, pipe fittings etc
61	5-tier shelf unit and contents including assorted valves, pressure switches etc
62	5-tier shelf unit and contents including gauges, manifolds, filters, regulators etc
63	5-tier shelf unit and contents including conveyor parts
64	5-tier shelf unit and contents including labeller parts
65	5-tier shelf unit and contents including sensors, transformers, isolaters etc
66	5-tier shelf unit and contents including PLC boards, relays, switches etc
67	5-tier shelf unit and contents including sockets, switches and leads
68	3 plastic boxes of assorted switches etc
69	2 tables and contents on and under including switches, leads etc
1	1

Lex Machinery Ltd - Range of Machine Tools, Packaging Equipment and Forklifts Bidding Ends: Wednesday 20th April 2022 at 12.00noon

70	Contents of meeting room including light oak veneer meeting table with 8 chairs, pedestal fan, 2 side cupboards
71	Light oak veneereed L shaped desk with matching pedestal unit and black high back swivel chair
72	Light oak veneered L shaped desk witih matching pedestal unit, divider screen and swivel chair (NB IT equipment not included)
73	2 x light oak veneeered desks each with pedestal unit and 2 assorted swivel chairs
74	2 x light oak veneered desks each with pedestal unit, single divider screen and 2 x assorted swivel chairs
75	Grey melamine veneered double door side cupboard, black steel 4-drawer filing cabinet and grey/wood tambour fronted 6 foot cupboard unit
76	Indesit refrigerator and bench top microwave oven
77	Grey steel double door 6 foot office cupboard and wooden hat and coat stand
78	2 x Elite blue and grey steel personal locker units
79	Trapezoidal office table, 2 blue tweed upholstered reception chairs and light oak veneered coffee table



CONDITIONS OF SALE BY ONLINE AUCTION

1: Conditions

These conditions, together with any 'Special Conditions' or 'Notices to Purchasers', are the only terms and conditions subject to which Lambert Smith Hampton (LSH) (the "Auctioneer") acting as agents for the Vendor (the "Vendor") will contract with buyers (the "Buyer"). Bidding for any lot shall be deemed to be an acceptance of these conditions and any conditions in the Notices to Purchasers. If there is any inconsistency between any of these conditions and anything in the Notices to Purchasers, then those in the Notices to Purchasers shall prevail.

2: Inspection and Description

- 2.1 Buyers have a responsibility to make their own inspection and investigation of the lots at the time(s) and at the premises specified, and to satisfy themselves on all matters affecting the lots, and to inspect and satisfy themselves prior to the sale, as to the condition and description of a lot, its fitness and suitability for purpose.
- 2.2 Goods are believed to be correctly described but all goods are sold with faults, imperfections and errors of description.
- 2.3 Neither the Vendor nor the Auctioneers, their servants or agents makes or gives, nor has any person in the employment of the Auctioneers any authority to make or give, any representation or warranty in relation to any lots.

3: Limitation of Liability

- 3.1 Neither the Vendor nor the Auctioneers, their servants or agents shall be liable for any loss or damage suffered by the Buyer arising out of or in connection with any defects or deficiencies in any lots purchased, errors of description in the auction catalogue, any mis-statements as to any matter affecting the lots or the failure of the lots to fulfill the functions for which they were intended
- 3.2 The Auctioneer's and the Vendor's total liability for breach of contract or negligence is limited to the Bid Price.
- 3.3 Neither the Auctioneers nor the Vendor shall be liable for any indirect or consequential loss or damage (whether for loss of profit, loss of business or otherwise) incurred by the Buyer whatsoever.
- 3.4 Nothing in these conditions excludes or limits the liability of the Auctioneers or Vendor for death or personal injury caused by their negligence or fraudulent misrepresentation.
- 3.5 Nothing in these conditions shall prejudice the statutory rights of a consumer who shall be bound by these conditions only insofar as they are consistent with such statutory rights.

4: Conduct of Sale

- 4.1 The Auctioneers reserve the right in their absolute discretion to refuse admission to the premises and grounds to any person.
- 4.2 The conduct of the sale shall be at the Auctioneer's sole discretion and the Auctioneers reserve the right to refuse any bids without giving any reason. If any dispute of whatsoever nature relating to a bid shall arise, such dispute shall be determined by the Auctioneers in their absolute discretion and whose decision shall be final and binding on all parties.
- 4.3 Each bidder must register prior to submitting any bids in Online Sales. The Auctioneer reserves the right to reject any registration at its sole discretion.
- 4.4 The Vendor and the Auctioneers reserve the right to fix a reserve price for any lot.
- 4.5 No bid may be withdrawn after the close of bidding.
- 4.6 The Vendor or the Auctioneers have absolute discretion to withdraw consolidate or divide at any time any lot.
- 4.7 The highest bidder for each lot at the close of bidding shall be the Buyer, subject to approval by the Auctioneers and the Vendor. The Sale Price is exclusive of the buyer's premium and VAT. The highest bid at the close of bidding subject to approval by the Auctioneers and Vendor also marks a conclusion of a contract of sale between the Vendor and the Buyer.
- 4.8 In making a bid for any lots, the Buyer does so as principal. The Buyer will be held personally and solely liable for a bid unless the Auctioneers have previously agreed in writing with the Buyer that the bidder will do so on behalf of an identified third party acceptable to the Auctioneers. In circumstances where the Auctioneers have so agreed, the Buyer and the third party will jointly and severally be liable for all obligations arising from the bid where a third party shall be bound by these conditions by the individual bidding as his agent in the same way as if he were bidding personally.

5: Price

The price payable by the Buyer for the purchase of the lots secured shall be the sale price, being the highest bid and accepted by the Auctioneer in accordance with condition plus the buyers premium and any other associated costs (if any) and VAT applicable at the prevailing rate.

6: VAT

The price of the goods purchased is exclusive of Value Added Tax (VAT), which where applicable, the Buyer shall be additionally liable to pay to the Auctioneer

7: Risk and Title

- 7.1 Insurance: As from the date and time the Buyer is declared, all risks in and relating to the Goods purchased, shall pass to the Buyer and the Buyer is strongly advised to effect insurance for these risks at once. In no circumstances will the Auctioneers or the Vendor be responsible if any Goods or part thereof be lost, stolen, damaged or destroyed after the Buyer is declared.
- 7.2 <u>Title:</u> The Vendor shall only sell such title to the Goods as he may have. Neither the Auctioneers nor the Vendor warrants the Vendor's good title to any of the Goods and if it is found that the Vendor does not have title or unencumbered title to any of the Goods purported to be sold under these conditions the Buyer expressly agrees that it shall have no right either to rescind the contract or to claim damages or a reduction in the consideration paid or payable under the contract.
- 7.3 Title to each of the Goods will not pass until:-
 - (a) all debts owed by the Buyer to the Auctioneers (whether partpaid secured or otherwise) are settled, for the avoidance of doubt the debts shall not be settled until (where payment or part payment is made by cheque) all cheque(s) in question have been cleared; and
 - (b) such Goods have been removed from the premises at which the sale is held or where the Goods are being stored in their entirety.

8: Removal

- No lot or part thereof can be removed until payment in cleared funds (cash, approved Bankers Draft, BACS or Chaps) has been made in full or (where any part of the payment was made by cheque) the cheque has cleared in the Auctioneer's account. No lot shall be removed without the authority of the Auctioneer and unless under the supervision of the Auctioneer's servants or agents.
- 8.2 Removal shall take place only up to 5.00 pm and must be completed no later than the dates and times specified and published within the Notice to Purchasers or any date and time specifically declared thereafter, in writing, by the Auctioneer or written authority is obtained from the Auctioneers for clearance after that time.
- 8.3 The Buyer has no right to anything not described in the auction catalogue.
- 8.4 Delivery of lots sold will be made only to the declared Buyer and no transfer of any lot or part of a lot to any other person will be recognised.
- 8.5 Prior to the removal of any lot the Vendor may rescind the contract for the sale of that lot and refund to the Buyer any money paid by the Buyer for the lot should any third party claim title to or possession of any part of the lot.
- 8.6 The Buyer will be responsible for removal of lots at his own expense and must provide his own labour, and equipment.
- 8.7 The Auctioneers require that in pursuit of safe working practice all equipment used for lifting and transportation should be covered by appropriate insurance, safety documentation set out by current Health & Safety legislation at the time and registration documents (in particular, but not limited, to cranes, lifting equipment, tackle and fork lift trucks). Such documentation shall be produced to the Auctioneers and if the Buyer fails to produce such documentation on request for inspection the Auctioneers reserve the right to refuse to release the lot and/or rescind the sale in which event the provisions of condition 8 will apply. Equipment may only be used by operatives who have the valid and appropriate licences to use such equipment
- 8.8 Appropriate Personal Protective Equipment (PPE) must be worn during these activities and due regard paid to safe material handling practices.



CONDITIONS OF SALE BY ONLINE AUCTION

9: Damage to Premises

The Buyer shall be responsible for the removal of all goods purchased at his own expense and risk and such removal must be carried out safely and lawfully and in accordance with any conditions of sale of which the Buyer is notified. For the avoidance of doubt removal includes where applicable disconnection from the mains electricity supply and the detachment of any lots which are fixed. All electrical installations must be carried out by a Certified electrician and left in a safe condition during and after the removal and the use of explosives or flame cutting equipment or any other potentially hazardous or inflammatory process shall not be permissible on the site without the express written consent of the Auctioneers. The Buyer shall be responsible to insure against and to make good any injury or damage to persons or property caused by the Buyer, their carriers, servants or agents detaching, disconnecting or removing any goods purchased by the Buyer. The Buyer shall produce his insurance documentation to the Auctioneers on request and if the Buyer fails to produce such documentation the Auctioneers reserve the right to refuse to clear the lot and/or rescind the sale. The Buyer shall indemnify the Auctioneers for any damage or loss which the Auctioneers may suffer in respect of loss, damage or injury suffered by the Buyer's agents or employees or any third party arising from the removal. At its discretion the Auctioneers may require the payment of a deposit to the Auctioneers prior to and/or during the removal which will be refunded on the removal being completed to the Auctioneer's satisfaction. If the Buyer refuses to deposit such monies, the Vendor or the Auctioneers may refuse the Buyer access to the premises for the purposes of removing the lot purchased by them and/or rescind the sale in which event the provisions of condition 8 will apply. The Auctioneers reserve the right to stop the removal of a lot by a Buyer, his agents or employees, if it appears to the Auctioneers or its agents or employees that the removal is being carried out in an unsafe or unsatisfactory way.

10: Default by Buyer

Upon failure by the Buyer for whatsoever reason:-

- to pay a deposit in full if required under the Conditions of Sale or special notices: or
- (ii) to pay the purchase price in full on the due date; or
- (iii) to provide any documentation required under these conditions; or
- (iv) to remove the goods in a safe or satisfactory way; or
- to remove any lot from the premises on or before the date specified for removal,

The Vendor will be entitled to rescind the contract forthwith without incurring any liabilities to the Buyer and, without prejudice to any claims of the Vendor and/or the Auctioneers against the Buyer arising from breach of contract or otherwise, upon rescission as aforesaid the following provisions apply:

- all monies deposited in part payment will be forfeited and used to pay the Vendor's and/or Auctioneer's expenses referred to in paragraph (d) below;
- (b) if the lots have been removed in breach of these conditions, the Vendor and/or the Auctioneers, their servants or agents may enter the premises of the Buyer to recover such lots;
- (c) lots may be re-sold or otherwise disposed of by the Auctioneers in the manner they feel appropriate at their sole discretion and any deficiency arising upon the resale together with the expenses of it shall be due as a debt from the Buyer in default upon the first sale. The Buyer consents to such a resale on the Auctioneer's conditions of business applicable at the time of resale. Neither the Auctioneers nor the Vendor shall be liable to account to the Buyer in the event of a re-sale at a higher price than the price contracted to be paid by the Buyer. The Buyer waives any claim in such a case that he may have title to the lot and agreed that any re-sale price shall be deemed commercially reasonable;
- (d) the Buyer will be responsible from the specified time for final removal for all losses and expense incurred by the Vendor and/or the Auctioneers including storage, security and removal expenses, the costs of re-selling or disposing of lots and Auctioneer's commission.

11: Auctioneer as Agent

The Auctioneers act only as Agents for and on behalf of the Vendor and shall not be held responsible for any action or default on the part of either the Vendor, bidders or the Buyer. Any concluded contract of sale is made directly between the Vendor and the Buyer.

12: Accident or Damage

Neither the Auctioneers nor the Vendor will accept any responsibility for any accident, (except for that arising out of its negligence, or the negligence of its agents or employees, resulting in death or personal injury) howsoever caused to any person which may occur whilst on the Auctioneer's premises, the Vendor's premises or such other premises used to hold the auction or to store the lots before during or after the sale and any person entering the premises does so at his own risk and is deemed to have notice of the condition of the premises and their contents.

13: The Consumer Protection Act 1987

No lots are sold as new

14: Health & Safety At Work

It is expressly brought to the Buyer's attention and that of potential buyers, at the time of sale, any item of plant, machinery or equipment contained in the goods may not necessarily comply with the Health and Safety at Work Act 1974; the Environmental Protection Act 1990; Construction Design and Management Regulations 2015 or any other Act of Parliament or regulations thereunder governing the use of that plant, machinery or equipment in a working environment. Buyers of any such plant, machinery or equipment are hereby required to ensure so far as reasonably practicable that such item will be safe and without risk to health and that the use of any such items at a place of work within the EEC & the United Kingdom does not contravene any such Act of Parliament or regulation applicable to such use.

15: Dangerous Substances

It is expressly brought to the attention of Buyers (and potential buyers) that certain types of plant or main service installations could contain blue and white asbestos, dangerous chemicals and hazardous waste which if not handled correctly during their removal from the premises could be in breach of the Health and Safety at Work Act 1974, Sections 2-13 Control of Substances Hazardous to Health Regulations 2002 (COSHH) or other current legislation regulating the use of such substances in a working environment. The Buyer shall ensure so far as is reasonably practicable that they comply with the Health and Safety at WorkAct 1974, COSHH and other current legislation in connection with the removal, handling and transport of such dangerous substances and or hazardous waste or shall employ a specialist contractor to remove them. The Buyer shall, on request, satisfy the Auctioneers in relation to its removal procedures, and the removal of waste materials must be undertaken by an approved and licensed contractor. The Buyer will indemnify the Vendor, their servants or agents against any loss, damages or expenses suffered by them as a result of the Buyer's or a sub-contractor's failure to comply with this legislation.

16: Notices

Any notices or other communications shall be in writing and, if sent by post, shall be deemed to have been received by the addressee on the second working day after posting or, if the addressee is outside the United Kingdom, on the fifth working day after positing. If any written notice is delivered by hand, it shall be treated as having been received at that time. Any notice sent to the Auctioneer's shall be sent to the Auctioneer's address as set out in the auction catalogue, or displayed on the auctioneer's web site on the notice specific to that sale. Any notice which the Auctioneers send to the Buyer may be sent to the Buyer's last address known to the Auctioneer.

17: Third Party Rights

Save as expressly provided in these conditions, no term of these conditions shall be enforceable under The Contracts (Rights of Third Parties) Act 2001 by a third party.

18: Governing Law

These Conditions and any Conditions contained in the Notices to Purchasers, along with all associated transactions and all connected matters shall be governed and construed in accordance with English Law

19: Severability

In the event that any provisions of these conditions shall be held unenforceable for any reason, the remaining conditions shall remain in full force and effect.