

Cast Film Extrusion and Pouch Production Lines, Slitting Machine, Aluminium Silos, Chillers, Compressors, Warehouse Equipment, etc - Unsold Lot List

Lot No	Description
1	Davis - Standard unwind station, self slicing, approx. roll width capacity: 2.2m with: - Feed lifting table and handset - layarm bumparm - meshed safety fencing - Visolux safety beam - Delta touch pad controls *** viewing strongly recommended to ascertain work to be undertaken for removal *** A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. ** Please note – Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 1 to 16 being higher than the final highest bid on the all-inclusive lot 17. (Please note the all-inclusive lot will close an hour after the individual lots have closed to allow bidders on lot 17 the opportunity to review the cumulative final bids for lots 1 – 16.**
2	Sherman Treaters Pre- treater, type GX100R, s/n: 100172 (2000) with overhead system, type HT7, s/n: 08993 and Standalone Ozone Destruct Unit 03E-28, s/n: 97757 (2000) *** viewing strongly recommended to ascertain work to be undertaken for removal *** A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. ** Please note – Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 1 to 16 being higher than the final highest bid on the all-inclusive lot 17. (Please note the all-inclusive lot will close an hour after the individual lots have closed to allow bidders on lot 17 the opportunity to review the cumulative
3	FIFE CDP101 edge guide, 1600mm width *** viewing strongly recommended to ascertain work to be undertaken for removal *** A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. ** Please note – Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 1 to 16 being higher than the final highest bid on the all-inclusive lot 17. (Please note the all-inclusive lot will close an hour after the individual lots have closed to allow bidders on lot 17 the opportunity to review the cumulative final bids for lots 1 – 16.**
4	Greenbank primer rolling station and oven, contract ref: 10.226.0 (2000), approx. dimensions 6m x 3m with: - Comtherm Limited gas heated dryer, model PC2-C, s/n; C5203 (2000), associated fans, blowers, ducting, pedestrian gantry, safety railing - Operational EXSIS explosion detector - Extinguishopt control fire system, models K1103M2 and Series 21000 - Flame detection - Smoke alarms *** viewing strongly recommended to ascertain work to be undertaken for removal *** A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. ** Please note – Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 1 to 16 being higher than the final highest bid on the all-inclusive lot 17. (Please note the all-inclusive lot will close an hour after the individual lots have closed to allow bidders on lot 17 the opportunity to review the cumulative final bids for lots 1 – 16.**
5	David- Standard standalone 'S' wrap with 7 x roll chilled cooling system, approx. roll width 1.9m with Cemp drive system *** viewing strongly recommended to ascertain work to be undertaken for removal *** A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. ** Please note – Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 1 to 16 being higher than the final highest bid on the all-inclusive lot 17. (Please note the all-inclusive lot will close an hour after the individual lots have closed to allow bidders on lot 17 the opportunity to review the cumulative final bids for lots 1 – 16.**

6	<p>Co-extruder carriage with hydraulic adjustable width and height system, manual film thickness adjuster, 2 x feeder hoppers</p> <p>*** viewing strongly recommended to ascertain work to be undertaken to remove***</p> <p>A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot.</p> <p>** Please note – Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 1 to 16 being higher than the final highest bid on the all-inclusive lot 17. (Please note the all-inclusive lot will close an hour after the individual lots have closed to allow bidders on lot 17 the opportunity to review the cumulative final bids for lots 1 – 16.**</p>
7	<p>David-Standard 4 x chill roll station, approx. roll width 1.9m, 4 x web guides, Glycol fed chilling, gantry, hydraulic pack</p> <p>*** viewing strongly recommended to ascertain work to be undertaken for removal ***</p> <p>A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot.</p> <p>** Please note – Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 1 to 16 being higher than the final highest bid on the all-inclusive lot 17. (Please note the all-inclusive lot will close an hour after the individual lots have closed to allow bidders on lot 17 the opportunity to review the cumulative final bids for lots 1 – 16.**</p>
8	<p>Thermo Scientific gauging scanner with radioactive source, Patlite safety beams, sample check, width capacity approx. 2.4m (cost c.£90k)</p> <p>*** viewing strongly recommended to ascertain work to be undertaken for removal ***</p> <p>A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot.</p> <p>** Please note – Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 1 to 16 being higher than the final highest bid on the all-inclusive lot 17. (Please note the all-inclusive lot will close an hour after the individual lots have closed to allow bidders on lot 17 the opportunity to review the cumulative final bids for lots 1 – 16.**</p>
9	<p>Tidland slitting station complete with - waste plastic cutter - acoustic box mounted on metal staging with walkway - Single bag cyclone, 3 x socks - All associated pipework</p> <p>*** viewing strongly recommended to ascertain work to be undertaken for removal ***</p> <p>A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot.</p> <p>** Please note – Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 1 to 16 being higher than the final highest bid on the all-inclusive lot 17. (Please note the all-inclusive lot will close an hour after the individual lots have closed to allow bidders on lot 17 the opportunity to review the cumulative</p>
10	<p>Sherman Treaters post treatment, model GX100R with overhead system and Standalone Ozone Destruct Unit 03E-28, s/n: 97756 (2000)</p> <p>*** viewing strongly recommended to ascertain work to be undertaken for removal ***</p> <p>A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot.</p> <p>** Please note – Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 1 to 16 being higher than the final highest bid on the all-inclusive lot 17. (Please note the all-inclusive lot will close an hour after the individual lots have closed to allow bidders on lot 17 the opportunity to review the cumulative final bids for lots 1</p>

11	<p>David-Standard twin station rewind station, roll capacity, approx.: 2.5m with: - Automatic roll changer and shaft extractor - Tilt lifting table, SWL 4000kg - IFM core sensors - Diameter roll sensors - Associated safety fencing - Visolux Safety beams - Delta touch pad controls ***</p> <p>viewing strongly recommended to ascertain work to be undertaken for removal *** A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. ** Please note – Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 1 to 16 being higher than the final highest bid on the all-inclusive lot 17. (Please note the all-inclusive lot will close an hour after the individual lots have closed to allow bidders on lot 17 the opportunity to review the cumulative final bids for lots 1 – 16.**</p>
13	<p>Corona Supplies Limited OZAT CFS-2G ozone generator, type SBSO-240, s/n: 1707C0601 (2019) (cost c. £80k) with Dormnick Hunter air cleaner</p> <p>*** viewing strongly recommended to ascertain work to be undertaken for removal ***</p> <p>A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot.</p> <p>** Please note – Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 1 to 16 being higher than the final highest bid on the all-inclusive lot 17. (Please note the all-inclusive lot will close an hour after the individual lots have closed to allow bidders on lot 17 the opportunity to review the cumulative final bids for lots 1 – 16.**</p>
16	<p>Five station main control station *** viewing strongly recommended to ascertain work to be undertaken for removal *** A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. ** Please note – Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 1 to 16 being higher than the final highest bid on the all-inclusive lot 17. (Please note the all-inclusive lot will close an hour after the individual lots have closed to allow bidders on lot 17 the opportunity to review the cumulative final bids for lots 1 – 16.**</p>
18	<p>S R double R controls pouch production line with</p> <ul style="list-style-type: none"> - Triple unwind station - Leister twin head heat sealer - Rotary die punch - Film scrap take off roller - Off load conveyor - Weintek touch screen controls - Tricool Thermal oil heater, model HTT3569 SP, s/n: 24530 (2012) - TAE OVO M10 chiller, s/n: 2200 190888 (2011) <p>A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot.</p>
19	<p>Elite Cameron CW600 automatic slitting machine, s/n: MO2030 (2001), capacity 3000kg with</p> <ul style="list-style-type: none"> - Lonstorm 3700 anti-static controller - ET edge guide - Lifeline safety cut off - Trim blower <p>A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot.</p>
20	Cumberland granulator, model 4070, 33.75kw, s/n: CA083005UK080006 (2008)
22	Parklands 6" core cutter, model TC10, s/n: 5724 (1999)
23	Eurotherm gauging system, model 1010-2-X with Mark II scanner frame, s/n: 42814-1 - for spares or repairs
26	OWAMAT 6 oil/water separator

28	<p>Euroclimate 6 fan chiller unit with 2 x compressors</p> <p>NB: This item has no record of Written Scheme of Thorough Examination. The purchaser must ensure a Thorough Examination is carried out by a competent person prior to first use. The purchaser will be required to sign an undertaking confirming their agreement.</p>
29	<p>Ross 4 fan chiller unit, type R41C</p> <p>NB: This item has no record of Written Scheme of Thorough Examination. The purchaser must ensure a Thorough Examination is carried out by a competent person prior to first use. The purchaser will be required to sign an undertaking confirming their agreement.</p>
32	<p>Denios steel 2 door chemical storage container, approx. size: 3m x 1.5m</p> <p>A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot.</p>
38A	Bauer forklift skip, type 122796, SWL 1500kg
52	Rubbermaid bin trolley
59	Bay of 3 shelf boltless adjustable racking, approx. size: 2.1m x 600mm x H: 2m (excluding
61	Fluke Ti20 thermal imaging camera
71	RDM Test equipment HSE-3 benchtop laboratory heat sealer, s/n: 7265
72	Unnamed benchtop light box
73	Tree benchtop electronic precision balance, model HRB-E-203, capacity 200g / division 0.001g
78	<p>Four bays of boltless adjustable pallet racking, approx. sizes: 2.6m x 900mm x H: 5m</p> <p>A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot including working at height</p>
79	<p>Six bays of boltless adjustable pallet racking, approx. sizes: 2.6m x 900mm x H: 5m - excluding contents</p> <p>A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot including working at height</p>
80	<p>Six bays of boltless adjustable pallet racking, approx. sizes: 2.6m x 900mm x H: 4.5m / 4m - excluding contents</p> <p>A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot including working at height</p>
81	<p>Six bays of various boltless adjustable pallet racking, approx. sizes: 5 x 3.6m x 1.2m x H: 6m / 1 x 2.4m x 1.1m x 6m - excluding contents</p> <p>A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot including working at height</p>
82	<p>Eight bays of boltless adjustable pallet racking, approx. sizes: 2.7m x 900mm x H: 6m - excluding contents</p> <p>A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot including working at height</p>