Unsold Lots - Electric Furnaces, Rotary Shotblast Machines, Engineering & Factory Equipment, Compressors, Forklift, etc

Lot No	Description
	Promecam Sisson-Lehmann rail type rotary shot blast machine, type R23, serial no. 108, recorded hours: 29,956, approx.
1	internal capacity 1.6m x 1.9m x 2.2m high, with shot recycling, extraction with ducting to atmosphere, and RSJ runway in /
	out feed system
	Electrical Disconnection Charge: A mandatory electrical disconnection charge of £25.00 plus VAT applies to this lot and will
	be added to the Purchaser's invoice.
	RAMS: A risk assessment and safety 'method statement' (RAMS) must be pre-submitted for review and approval by the
	Auctioneer at least 24 hrs prior to any work commencing on this lot.
	Kilns & Furnace front loading electric furnace, type MLVD2160, serial no. 05102 (1999) max. temp. 1000°C, approx. internal
2	capacity 2.1m x 1.3m x 1.3m with:
	1 x rail mounted on / off loader, 4m x 650mm
	2 x cooling tables, 2.4m x 880mm
	assorted drying racks
	Electrical Disconnection Charge: A mandatory electrical disconnection charge of £25.00 plus VAT applies to this lot and will
	be added to the Purchaser's invoice.
	RAMS: A risk assessment and safety 'method statement' (RAMS) must be pre-submitted for review and approval by the
	Auctioneer at least 24 hrs prior to any work commencing on this lot. Kilns & Furnaces front loading electric furnace, type EOVDF, serial no. 05269 (2002) max. temp. 900°C, approx. internal
	capacity 3.5m x 1.4m x 1m, with
	1 x rail mounted on / off loader, 6.3m x 1.4m
	1 x cooling table, 4m x 1.5m
3	assorted drying racks
	Electrical Disconnection Charge: A mandatory electrical disconnection charge of £25.00 plus VAT applies to this lot and will
	be added to the Purchaser's invoice.
	RAMS: A risk assessment and safety 'method statement' (RAMS) must be pre-submitted for review and approval by the
	Auctioneer at least 24 hrs prior to any work commencing on this lot.
	g
	Unbadged front loading electric annealing furnace, max. temp. 1,000°C (approx.), rating 300kw, approx. internal capacity 4m
_	x 2.4m x 1.2m, Honeywell controllers, with 1 x rail mounted on / off loader, 6.3m x 1.4m 1 x cooling table, 4m x 1.5m
4	Electrical Disconnection Charge: A mandatory electrical disconnection charge of £25.00 plus VAT applies to this lot and will
	be added to the Purchaser's invoice. RAMS: A risk assessment and safety 'method statement' (RAMS) must be pre-submitted
	for review and approval by the Auctioneer at least 24 hrs prior to any work commencing on this lot.
	Un-named electric furnace control console with Honeywell eZtrend recorder, over temp, AMP meter etc Electrical
5	Disconnection Charge: A mandatory electrical disconnection charge of £25.00 plus VAT applies to this lot and will be added
3	to the Purchaser's invoice. PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by
	the Auctioneer prior to any work commencing on this lot
	Kilns & Furnaces electric furnace, max. temp. 1300°C, mounted on stand no. 5307, with Shimada controls, internal dimension
	370 x 570mm
5A	Electrical Disconnection Charge: A mandatory electrical disconnection charge of £10.00 plus VAT applies to this lot and will
J, (be added to the Purchaser's invoice.
	PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by the Auctioneer prior to any
	work commencing on this lot
5B	Quantity of assorted screen printing screens
	Unbadged gas fired walk-in sliding door drying room, approx. size 7m x 3.5m x 2.4m high, fitted T.C Williams (Burners) Ltd
	single burner, 200,000 btu capacity
6	Electrical Disconnection Charge: A mandatory electrical disconnection charge of £25.00 plus VAT applies to this lot and will
	be added to the Purchaser's invoice. RAMS: A rick assessment and safety (method statement' (RAMS) must be are submitted for review and approval by the
1	RAMS: A risk assessment and safety 'method statement' (RAMS) must be pre-submitted for review and approval by the
	Auctioneer at least 24 hrs prior to any work commencing on this lot.
	Barrel mixer / mill, 100kg, approx. dia. 900mm Electrical Disconnection Charge: A mandatory electrical disconnection charge
7	of £10.00 plus VAT applies to this lot and will be added to the Purchaser's invoice. PoWRA: A 'point of work' risk assessment
	must be completed, reviewed and approved on site by the Auctioneer prior to any work commencing on this lot
	mass we completed, reviewed and approved on site by the Adetioneer prior to any work commencing on this lot
	Barrel mixer / mill, 75kg, approx. dia. 800mm Electrical Disconnection Charge: A mandatory electrical disconnection charge
8	of £10.00 plus VAT applies to this lot and will be added to the Purchaser's invoice. PoWRA: A 'point of work' risk assessment
	must be completed, reviewed and approved on site by the Auctioneer prior to any work commencing on this lot
	mass as assimple tear, retreated and approved on site by the ractioneer prior to any work commencing on this lot
9	Barrel mixer / mill, 50kg, approx. dia. 700mm Electrical Disconnection Charge: A mandatory electrical disconnection charge
	of £10.00 plus VAT applies to this lot and will be added to the Purchaser's invoice. PoWRA: A 'point of work' risk assessment
	must be completed, reviewed and approved on site by the Auctioneer prior to any work commencing on this lot
	, , , , , , , , , , , , , , , , , , , ,

10A	Un-named dismantled barrel mixer/mix, approx. dia 650 (unsure of working order) PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by the Auctioneer prior to any work commencing on this lot
11	Un-named 2 rack motorised tumbler/mixing station Electrical Disconnection Charge: A mandatory electrical disconnection charge of £10.00 plus VAT applies to this lot and will be added to the Purchaser's invoice. PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by the Auctioneer prior to any work commencing on this lot
12	Un-named wet back spray booth, 3.1m x 2.3m with extraction - excluding any ducting Electrical Disconnection Charge: A mandatory electrical disconnection charge of £15.00 plus VAT applies to this lot and will be added to the Purchaser's invoice. PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by the Auctioneer prior to any work commencing on this lot
13	Un-named wet back spray booth, 2350 x 2050 x with - excluding any ducting extraction Electrical Disconnection Charge: A mandatory electrical disconnection charge of £15.00 plus VAT applies to this lot and will be added to the Purchaser's invoice. PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by the Auctioneer prior to any work commencing on this lot
14	Un-named wet back spray booth, 3.5m x 2.2m with extraction - excluding any ducting Electrical Disconnection Charge: A mandatory electrical disconnection charge of £15.00 plus VAT applies to this lot and will be added to the Purchaser's invoice. PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by the Auctioneer prior to any work commencing on this lot
15	RDM wet back spray booth, 3.2m x 2.1m with extraction - excluding any ducting Electrical Disconnection Charge: A mandatory electrical disconnection charge of £15.00 plus VAT applies to this lot and will be added to the Purchaser's invoice. PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by the Auctioneer prior to any work commencing on this lot
21	Export type shipping container, 20' x 8', hole to roof PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by the Auctioneer prior to any work commencing on this lot
22	Five metal framed metal drying racks, 1600 x 460 x height 470mm
23	Five metal framed metal drying racks, 1600 x 460 x height 470mm
24	Four metal framed metal drying racks, 1600 x 460 x height 470mm
25	Two metal/timber framed heavy duty trollies
26	Three various metal framed trollies
30	Two metal framed mobile drying racks, 1m x 600mm x height 1.5m Three assorted metal frame mobile drying racks 2 - 1200 x 360 x height 1360mm, 1 - 980 x 450mm x height 1.4m
32	Three assorted metal frame mobile drying racks 2 - 1200 x 360 x fleight 1360mm, 1 - 1580 x 320 x height 1460m 1 - 1380 x 320 x height 1460mm
33	Three metal frame mobile drying racks 1.1m x 440 x height 1840mm
34	Four various metal frame trollies
35	Metal frame mobile welding trolley
36	Metal frame 3 station fire extinguisher trolley with three powder fire extinguishers
37	Un-named hydraulic short fork pallet truck, SWL 2500kg
38	Un-named hydraulic pallet truck
39	Un-named hydraulic pallet truck Un-named short fork hydraulic pallet truck, SWL 2000kg
41	Un-named high back sack truck
45	Un-named high back sack truck
46	Un-named high back sack truck (excluding bottles) Keaser TE91 compressed air dryer, serial no. 1031 (2011)
50	Electrical Disconnection Charge: A mandatory electrical disconnection charge of £20.00 plus VAT applies to this lot and will be added to the Purchaser's invoice. PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by the Auctioneer prior to any
51	work commencing on this lot Hankison air dryer Electrical Disconnection Charge: A mandatory electrical disconnection charge of £20.00 plus VAT applies to this lot and will be added to the Purchaser's invoice. PoWRA: A 'point of work' risk assessment must be completed,
	reviewed and approved on site by the Auctioneer prior to any work commencing on this lot Drury Engineering vertical air receiver, no. DE37021, capacity 2050litres with 3 x in-line air filters and interconnecting pipework
52	Pressure Systems WSE - This item has no record of Written Scheme of Examination (WSE). The purchaser must ensure a WSE is carried out by a competent person prior to first use. The purchaser will be required to sign an undertaking confirming their agreement.
	PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by the Auctioneer prior to any work commencing on this lot
53	Domnick Hunter H2oil - X oil/water separator, SE201301

•	
	HPC Plusair rotary screw air compressor set, service hours: 104,830,
54	loaded hours: 35,185 (1991)
	Electrical Disconnection Charge: A mandatory electrical disconnection charge of £20.00 plus VAT applies to this lot and will
	be added to the Purchaser's invoice.
	PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by the Auctioneer prior to any
	work commencing on this lot
	HPC Plusair rotary screw air compressor set, Type CSD102, Part No.100259.0, serial no. 1316
	Electrical Disconnection Charge: A mandatory electrical disconnection charge of £20.00 plus VAT applies to this lot and will
55	be added to the Purchaser's invoice.
	PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by the Auctioneer prior to any
	work commencing on this lot
57	Domnick Hunter H2oil-X oil/water separator, SE2030
58	Evolution 500 bench top abrasive steel cutting saw, 114", with metal workbench, 1270 x 830mm
65	Telegan Spirit V1 hand held gas monitor
65D	Un-named twin diaphragm water pump
65E	Four metal rotating work stands, 1 x metal mobile work table, 1 x metal table
66	Mountfield MCS 2200 garden shredder, 240v
69	Miscellaneous lot including nuts, bolts, lifting eyes, threaded bar, bearings, etc.
70	Four bays of racking with contents including fittings, bearings, cable clips, etc.
,,,	Four assorted workbenches, 1 x metal 1400 x 850mm, 1 x timber top 2.1m x 900mm, 1 x timber 1780 x 700mm, 1 x timber
	3.1m x 920mm
73	Manual Handling: Please ensure sufficient & suitable resource / handling aids are used to manage this uplift. LSH employees
	/ representatives will not be able to assist.
	Contents of two store rooms including assorted steel, nuts, bolts, fittings, three bays of racking, one metal workbench 1800 x
	780mm, one Record bench vice 4", 2 x assorted metal frame storage units
74	Manual Handling: Please ensure sufficient & suitable resource / handling aids are used to manage this uplift. LSH employees
	/ representatives will not be able to assist.
	Contents of room including timber workbench 2.1m x 600mm, one metal/timber top workbench 1750 x 550mm, metal 4-
	drawer filing cabinet, counter top fridge, microwave, kettle, air lines, etc.
75	
	Manual Handling: Please ensure sufficient & suitable resource / handling aids are used to manage this uplift. LSH employees
77	/ representatives will not be able to assist.
77	Three reeled extension leads, 2 x 110v, 1 x 240v, one site lamp
80	Quantity of assorted size drying racks
0.4	Three bays of boltless adjustable pallet racking, 2.8m x 900mm x height 3.6m
81	PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by the Auctioneer prior to any
	work commencing on this lot
0.2	Two bays of boltless adjustable pallet racking, 2.8m x 900mm x height 3.6m
82	PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by the Auctioneer prior to any
	work commencing on this lot
	Three bays of boltless adjustable pallet racking, 2.8m x 900mm x height 3.6m
83	PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by the Auctioneer prior to any
	work commencing on this lot
84	Two bays of boltless adjustable pallet racking, 2.8m x 900mm x height 3.6m, to include two bays of dismantled racking, three
	uprights, ten cross beams
	PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by the Auctioneer prior to any
6-	work commencing on this lot
85	Galvanised mobile access platform
89	Approximately 20 full/part pallets of enamelling material (see photographs for more information)
90	
	Approximately 16 full/part pallets of enamelling material, including silicone flour (see photographs for more information)
91	Quantity of flat pack cardboard boxes, two reels of corrugated cardboard, layout table, metal frame bespoke dispenser,
	1.4m, 1 x foam packing material
	Light wood effect 2 section boardroom table, 3m x 1.2m, six upholstered swivel chairs, two bookcases, two pedestals, hat &
92	coat stand
52	Manual Handling: Please ensure sufficient & suitable resource / handling aids are used to manage this uplift. LSH employees
	/ representatives will not be able to assist.
93	Three metal 4-drawer filing cabinets
94	Six various canteen tables, sixteen plastic canteen stacking chairs
95	Three metal 5-door personnel lockers
96	Hotpoint undercounter fridge, three microwaves, toaster, kettle
96A	Beko undercounter fridge, toaster, kettle
97	Lenovo computer system, Dell flat screen monitor, keyboard, mouse, desk, two chairs
98	Four Lenovo computer systems with three flat screen monitors, keyboards, mice

99	Q-Connect QCC4 cross cut paper/CD shredder
100	Light wood effect single pedestal corner desk, swivel chair, two light wood effect 2-door storage cupboards, one light wood
	effect low level cupboard
	Manual Handling: Please ensure sufficient & suitable resource / handling aids are used to manage this uplift. LSH employees
	/ representatives will not be able to assist.
101	Light wood effect single pedestal corner desk, swivel chair, two light wood effect half height 2-door storage cupboards
	Manual Handling: Please ensure sufficient & suitable resource / handling aids are used to manage this uplift. LSH employees
	/ representatives will not be able to assist.
102	Light wood effect single pedestal corner workstation, swivel chair, three light wood effect half height 2-door storage
	cupboards
	Manual Handling: Please ensure sufficient & suitable resource / handling aids are used to manage this uplift. LSH employees
	/ representatives will not be able to assist.