

<p style="text-align: center;"><u>Unsold Lotlist - Contents of a Glass Processing Facility</u></p>	
<b>Lot No</b>	<b>Description</b>
1	<p>Glaston RC200-2136-380L Horizontal glass tempering furnace (2015)Serial Number: RC1564Year of Manufacture: 2015Please Note:RAMS: A risk assessment and safety 'method statement' (RAMS) must be pre-submitted for review and approval by the Auctioneer at least 24 hrs prior to any work commencing on this lot.</p>
2	<p>Forel Sealed unit production line including VW2000AOSX brush water (2010)Year of Manufacture: 2010Please Note:Lot Specific Clearance Arrangements:Collection to arrange by appointment only, between Monday 16th and Friday 27th February RAMS: A risk assessment and safety 'method statement' (RAMS) must be pre-submitted for review and approval by the Auctioneer at least 24 hrs prior to any work commencing on this lot.</p>
5	<p>Bolzoni Auramo A110A380026W Electric scissor lift with 1000kg max lift (2016)Serial Number: BPO19046Year of Manufacture: 2016Please Note:PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by the Auctioneer prior to any work commencing on this lot LOLER: This lot has no record of Thorough Examination. The purchaser must ensure a Thorough Examination is carried out by a competent person prior to first use. The purchaser will be required to sign an undertaking confirming their agreement.Lot Specific Clearance Arrangements:Collection to arrange by appointment only, between Monday 16th and Friday 27th February</p>
6	<p>CMS GEA 3 / 4 axis horizontal machining centre (2022) Serial Number: BH35Year of Manufacture: 2022Please Note:Financed Lot: Acceptance of the final highest bid price on this lot is subject to approval and acceptance by the Finance Company. RAMS: A risk assessment and safety 'method statement' (RAMS) must be pre-submitted for review and approval by the Auctioneer at least 24 hrs prior to any work commencing on this lot.</p>
32	<p>Sulak VTS03FP Glass working machine (2004)Serial Number: 029Year of Manufacture: 2004Please Note:PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by the Auctioneer prior to any work commencing on this lot</p>
77	<p>Hegla FLE 3/2E two steel single sided glass stillages Additional Information:max load 2550kgPlease Note:PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by the Auctioneer prior to any work commencing on this lot</p>
78	<p>Hegla FLE 3/2E two steel single sided glass stillages Additional Information:max load 2550kgPlease Note:PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by the Auctioneer prior to any work commencing on this lot</p>

80	Hegla TL50/3/2/2.6E two steel single sided glass stillages Additional Information: max load 2750kg Please Note: PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by the Auctioneer prior to any work commencing on this lot
87	Lisec FR4003 Freestanding glass rack (2000) Serial Number: 550002183 Year of Manufacture: 2000 Please Note: PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by the Auctioneer prior to any work commencing on this lot Financed Lot: Acceptance of the final highest bid price on this lot is subject to approval and acceptance by the Finance Company.
95	Extra long steel single sided glass stillage Additional Information: length 490cm, height 150cm, width 80cm Please Note: PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by the Auctioneer prior to any work commencing on this lot
111	3t crane mounted glass pack lifter LOLER Certified Until: 02-06-2026 Please Note: PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by the Auctioneer prior to any work commencing on this lot
119	Guild Two battery drill drivers Additional Information: with two 1.3AH batteries (no charger) and one Black & Decker KR70 240v drills
125	Datalogic Power Scan PM9501 threewireless handheld scanners Additional Information: with four batteries and a 4-section charger
128	Four various drill batteries Additional Information: with one charger
135	Cushell submerable pump 240v
146	Reel moving trolley
163	Contents of rack Additional Information: to include various window spacer bars and edging (as lotted)
164	Eight various picking baskets Additional Information: as lotted
165	Contents of cabinet Additional Information: to include various window edging clips (as lotted)
167	Upholstered top laying up table
169	Contents of room Additional Information: to include various window edging clips, 6 bays of racking, 4-section locker unit, 4-drawer filing cabinet and a UV Tech light table
174	Titan Mitre saw stand
180	Bottero Glass lifter Please Note: LOLER: This lot has no record of Thorough Examination. The purchaser must ensure a Thorough Examination is carried out by a competent person prior to first use. The purchaser will be required to sign an undertaking confirming their agreement.
202	Six 6mm H020 silver glass Additional Information: 3210 x 2550mm Please Note: PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by the Auctioneer prior to any work commencing on this lot Lot Specific Clearance Arrangements: Collection to arrange by appointment only, between Monday 9th February and Friday 13th February. This must be removed to allow for other lots to be collected.
206	Sixteen 6mm softcoat and one glass Additional Information: 3210 x 2550mm Please Note: PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by the Auctioneer prior to any work commencing on this lot Lot Specific Clearance Arrangements: Collection to arrange by appointment only, between Monday 9th February and Friday 13th February. This must be removed to allow for other lots to be collected.

207	Seven 6mm softcoat and one glass Additional Information:3210 x 2550mmPlease Note:PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by the Auctioneer prior to any work commencing on this lot Lot Specific Clearance Arrangements:Collection to arrange by appointment only, between Monday 9th February and Friday 13th February. This must be removed to allow for other lots to be collected.
211	Twelve 6mm activ clear glass Additional Information:3210 x 2550mmPlease Note:PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by the Auctioneer prior to any work commencing on this lot Lot Specific Clearance Arrangements:Collection to arrange by appointment only, between Monday 9th February and Friday 13th February. This must be removed to allow for other lots to be collected.
213	Fourteen 6 SN70/35 glass Additional Information:3210 x 2550mmPlease Note:PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by the Auctioneer prior to any work commencing on this lot Lot Specific Clearance Arrangements:Collection to arrange by appointment only, between Monday 9th February and Friday 13th February. This must be removed to allow for other lots to be collected.
216	Seventeen 8.8mm lami 70/35 glass Additional Information:3210 x 2550mmPlease Note:PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by the Auctioneer prior to any work commencing on this lot Lot Specific Clearance Arrangements:Collection to arrange by appointment only, between Monday 9th February and Friday 13th February. This must be removed to allow for other lots to be collected.
220	Eleven 6mm pink K glass Additional Information:3210 x 2550mmPlease Note:PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by the Auctioneer prior to any work commencing on this lot Lot Specific Clearance Arrangements:Collection to arrange by appointment only, between Monday 9th February and Friday 13th February. This must be removed to allow for other lots to be collected.
229	Seven 6mm activ blue glass Additional Information:3210 x 2550mmPlease Note:PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by the Auctioneer prior to any work commencing on this lot Lot Specific Clearance Arrangements:Collection to arrange by appointment only, between Monday 9th February and Friday 13th February. This must be removed to allow for other lots to be collected.
231	Eighteen 4mm softcoat and one glass Additional Information:3210 x 2550mmPlease Note:PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by the Auctioneer prior to any work commencing on this lot Lot Specific Clearance Arrangements:Collection to arrange by appointment only, between Monday 9th February and Friday 13th February. This must be removed to allow for other lots to be collected.
232	Eighteen 4mm softcoat and one glass Additional Information:3210 x 2550mmPlease Note:PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by the Auctioneer prior to any work commencing on this lot Lot Specific Clearance Arrangements:Collection to arrange by appointment only, between Monday 9th February and Friday 13th February. This must be removed to allow for other lots to be collected.

234	Seven 8mm SN70/35 glass Additional Information:3210 x 2550mmPlease Note:PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by the Auctioneer prior to any work commencing on this lot Lot Specific Clearance Arrangements:Collection to arrange by appointment only, between Monday 9th February and Friday 13th February. This must be removed to allow for other lots to be collected.
235	Nine 8mm SN70/35 glass Additional Information:3210 x 2550mmPlease Note:PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by the Auctioneer prior to any work commencing on this lot Lot Specific Clearance Arrangements:Collection to arrange by appointment only, between Monday 9th February and Friday 13th February. This must be removed to allow for other lots to be collected.
237	Seventeen 4mm softcoat glass Additional Information:3210 x 2550mmPlease Note:PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by the Auctioneer prior to any work commencing on this lot Lot Specific Clearance Arrangements:Collection to arrange by appointment only, between Monday 9th February and Friday 13th February. This must be removed to allow for other lots to be collected.
238	Seventeen 6mm softcoat glass Additional Information:3210 x 2550mmPlease Note:PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by the Auctioneer prior to any work commencing on this lot Lot Specific Clearance Arrangements:Collection to arrange by appointment only, between Monday 9th February and Friday 13th February. This must be removed to allow for other lots to be collected.
240	<p>Three 6mm white lashed glass      Two 6mm toughened white crisp glass      Three 6mm lacobel toughened blue light      Two 6mm lacobel toughened zen grey      One 6mm lacobel toughened white oyster      Two 6mm lacobel toughened green petrol</p> <p>Three 6mm lacobel toughened mocka Additional Information:All 3210 x 2550mmPlease Note:PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by the Auctioneer prior to any work commencing on this lot Lot Specific Clearance Arrangements:Collection to arrange by appointment only, between Monday 9th February and Friday 13th February. This must be removed to allow for other lots to be collected.</p>
242	Eighteen 7.5mm lami clear glass Additional Information:3210 x 2550mmPlease Note:PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by the Auctioneer prior to any work commencing on this lot Lot Specific Clearance Arrangements:Collection to arrange by appointment only, between Monday 9th February and Friday 13th February. This must be removed to allow for other lots to be collected.

244	Three 6.8mm lami softcoat glass Additional Information:3210 x 2550mmPlease Note:PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by the Auctioneer prior to any work commencing on this lot Lot Specific Clearance Arrangements:Collection to arrange by appointment only, between Monday 9th February and Friday 13th February. This must be removed to allow for other lots to be collected.
246	Nine 9.5mm softcoat lami glass Additional Information:3210 x 2550mmPlease Note:PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by the Auctioneer prior to any work commencing on this lot Lot Specific Clearance Arrangements:Collection to arrange by appointment only, between Monday 9th February and Friday 13th February. This must be removed to allow for other lots to be collected.
249	Three 8.8mm softcoat lami glass Additional Information:3210 x 2550mmPlease Note:PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by the Auctioneer prior to any work commencing on this lot Lot Specific Clearance Arrangements:Collection to arrange by appointment only, between Monday 9th February and Friday 13th February. This must be removed to allow for other lots to be collected.
274	One 4mm warwick glass Additional Information:2410 x 1320mmPlease Note:PoWRA: A 'point of work' risk assessment must be completed, reviewed and approved on site by the Auctioneer prior to any work commencing on this lot Lot Specific Clearance Arrangements:Collection to arrange by appointment only, between Monday 9th February and Friday 13th February. This must be removed to allow for other lots to be collected.